

Material Safety Data Sheet

1.INDETIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Indentifier	
Trade name	:Green JND-FD21
Relevant identified uses of the substance	
or mixture and uses advised against	: colouring agent
Uses advised against	: not known
Details of the supplier of the safety	
data sheet	
Manufacturer: JND BEAUTY Supplies	
2. HAZARD IDENTIFICATION	
Classification of the substance or mixture	
According to Regulation (EC) No.	

······································	
1272/2008(CLP)	: not classified
According to Directive 67/548/EEC &	
Directive 1999/45/EC	: not classified
Additional information	: not available
Label elements	
GHS label elements	: not applicable
Hazard pictogram(s)	: not app icable
Signal word(s)	: not applicable
Hazard statement(s)	: not app icable
Precautionary statement(s)	: not app icable
Other hazards	: not kno n

3.COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family: Ultramarine pink. Contains no hazardous ingredients

Commen chemical	CAS No.	EINECS No.	Colour Index	Chemical	Hazard classification
name				composition	According to directive
					67/548/EEC & Directive
					1999/45/EC, Regulation (EC)
					No. 1272/2008(CLP)
Pigment Green 7	1328-53-6	215-524-7	74260	1-2	Not classified
Polyester-3	68258-82-2			98-99	Not c lassified



Description of first and measures Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest Skin contact : wash affected skin with plenty of water Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention Ingestion : if ingested, wash out mouth with water, drink milk or egg white Notes to physician : no special measures are required Most important systems and effects, Both acute and delayed Actue : none Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing Indication of immediate medical attention and special treatment needed Recommended :a. Chest XRay b. Lung functionality tests 5. FIREFIGHTING MEASURES Extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substance or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self- contained breathing apparatus				
Skin contact : wash affected skin with plenty of water Eye contact : if contact with eyes directly, flush with gently flowing fresh water Ingestion : if ingested, wash out mouth with water, drink milk or egg white Notes to physician : no special measures are required Most important systems and effects, Both acute and delayed Actue : none Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing Indication of immediate medical attention and special treatment needed Recommended :a. Chest XRay b. Lung functionality tests Stitable extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substance or mixture Thermal hazards Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Description of first aid measures			
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention Ingestion : if ingested, wash out mouth with water, drink milk or egg white Notes to physician : no special measures are required Most important systems and effects, Both acute and delayed Actue : none Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing Indication of immediate medical attention and special treatment needed Recommended :a. Chest XRay b. Lung functionality tests 5. FIREFIGHTING MEASURES Suitable extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substance or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Inhalation: in case of accident by inhalation	: remove causality to fresh air and keep at rest		
thoroughly; If eye irritation persists, get medical advice/attention Ingestion : if ingested, wash out mouth with water, drink milk or egg white Notes to physician : no special measures are required Most important systems and effects, Both acute and delayed Actue : none Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing Indication of immediate medical attention and special treatment needed Recommended :a. Chest XRay b. Lung functionality tests 5. FIREFIGHTING MEASURES Extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substance or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Skin contact	: wash affected skin with plenty of water		
Ingestion : if ingested, wash out mouth with water, drink milk or egg white Notes to physician : no special measures are required Most important systems and effects, Both acute and delayed Actue : none Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing Indication of immediate medical attention and special treatment needed Recommended : a. Chest XRay b. Lung functionality tests 5. FIREFIGHTING MEASURES Extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substance or mixture Thermal hazards : fire fighters should wear complete protective clothing including self-	Eye contact	: if contact with eyes directly, flush with gently flowing fresh water		
Notes to physician : no special measures are required Most important systems and effects, Both acute and delayed Actue : none Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing Indication of immediate medical attention and special treatment needed Recommended :a. Chest XRay b. Lung functionality tests 5. FIREFIGHTING MEASURES Suitable extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substature or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-		thoroughly; If eye irritation persists, get medical advice/attention		
Most important systems and effects, Both acute and delayed Actue : none Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing Indication of immediate medical attention and special treatment needed Recommended :a. Chest XRay b. Lung functionality tests 5. FIREFIGHTING MEASURES Extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substature or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Ingestion	: if ingested, wash out mouth with water, drink milk or egg white		
Both acute and delayed : none Actue : none Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing Indication of immediate medical attention and special treatment needed Recommended :a. Chest XRay b. Lung functionality tests 5. FIREFIGHTING MEASURES Suitable extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substance or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Notes to physician	: no special measures are required		
Actue : none Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing Indication of immediate medical attention and special treatment needed Recommended :a. Chest XRay b. Lung functionality tests 5. FIREFIGHTING MEASURES Suitable extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substarce or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Most important systems and effects,			
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing Indication of immediate medical attention and special treatment needed Recommended :a. Chest XRay b. Lung functionality tests 5. FIREFIGHTING MEASURES Extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substance or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Both acute and delayed			
difficulty in breathing Indication of immediate medical attention and special treatment needed Recommended :a. Chest XRay b. Lung functionality tests 5. FIREFIGHTING MEASURES Extinguishing media Suitable extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substatuce or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Actue	: none		
Indication of immediate medical attention and special treatment needed Recommended :a. Chest XRay b. Lung functionality tests 5. FIREFIGHTING MEASURES Extinguishing media Suitable extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substance or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Long term (repeated)	: may cause irritation to the respiratory system. Cough. Increased		
Recommended :a. Chest XRay b. Lung functionality tests 5. FIREFIGHTING MEASURES Extinguishing media :extinguish with water spray, foam o dry chemical Suitable extinguishing media :extinguish with water spray, foam o dry chemical Unsuitable extinguishing media :carbon dioxide Special hazards arising from the substature rinoncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-		difficulty in breathing		
b. Lung functionality tests 5. FIREFIGHTING MEASURES Extinguishing media Suitable extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substate or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Indication of immediate medical attention	on and special treatment needed		
5. FIREFIGHTING MEASURES Extinguishing media Suitable extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substature or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Recommended	:a. Chest XRay		
Extinguishing media Suitable extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substance or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-		b. Lung functionality tests		
Suitable extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substance or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	5. FIREFIGHTING MEASURES			
Suitable extinguishing media : extinguish with water spray, foam o dry chemical Unsuitable extinguishing media : carbon dioxide Special hazards arising from the substance or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Extinguishing media			
Special hazards arising from the substance or mixture Thermal hazards : noncombustible. None anticipated Advice for firefighters : fire fighters should wear complete protective clothing including self-	Suitable extinguishing media	: extinguish with water spray, foam o dry chemical		
Thermal hazards: noncombustible. None anticipatedAdvice for firefighters: fire fighters should wear complete protective clothing including self-	Unsuitable extinguishing media	: carbon dioxide		
Advice for firefighters : fire fighters should wear complete protective clothing including self-	Special hazards arising from the substa	nce or mixture		
	Thermal hazards	: noncombustible. None anticipated		
contained breathing apparatus	Advice for firefighters	: fire fighters should wear complete protective clothing including self-		
		contained breathing apparatus		

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective	e equipment and emergency procedures
Personal precautions	: do not breathe dust
Personal protection equipment	: wear appropriate personal protective equipment, avoid direct contact
In case of emergency	a self-contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions	: do not allow to enter drains, sewers or watercourses
Methods and material for	
Containment and cleaning up	: collect mechanically and dispose of according to Section 13. Use vacuum
	equipment for collecting spilt materials, where practicable
Reference to other sections	: see sections 8 and 13
7. HANDLING AND STOR	RAGE



Conditions for safe storage

including any incompatibilities : keep container in a well-ventilated place Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters	: provide ade uate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures
Exposure limit values	: not known
Exposure controls	
Appropriate engineering of	controls :provide adequate ventilation to ensure that the occupational exposure limit is not
	exceeded. Isolate the dispersive process step away from ot her operations. This can be
	achieved by local exhaust ventilation or gener I ventilation
Individual protections m	easures, such as personal protective equipment (PPE)
Hand/eye/face protection	: wear gloves, eye protection and an approved dust mask if dust is generated during
	handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth
Skin protection	apron or other light protective clothing, boots and plastic or synthetic rubber gloves:
Respiratory protection	: dust mask covering nose and mouth
Thermal hazards	: none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPER	TIES
Form	: powder
Colour	: Green
Odour	: Slight aldehyde odour
pH	: not applicable
Freezing point, ° C	: not applicable
Specific gravity	: 1.3
Softening point	: 270-280 deg C
Vapour pressure	: not applicable
Solubility (in water)	: insoluble
Particle size	: 1-2µm
10. STABILITY AND REACTIVITY	

Reactivity

: there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminum; calcium; magnesium; potassium; sodium; zinc;

lithium)

Chemical stability

: stable under normal conditions



Possibility of hazardous reactions	: none		
Conditions to avoid	: high temperature		
Incompatible materials	: strongly acidic, strongly alkaline, oxidizing agents		
Decomposition products	: no information available		
11. TOXICOLOGICAL INFO	RMATION		
Information on toxicological effect	S		
-			
This inorganic pigment in general is c			
This inorganic pigment in general is c Acute toxicity Carcinogenicity	: not available : not available		
This inorganic pigment in general is c Acute toxicity Carcinogenicity 12. ECOLOGICAL INFORM	: not available : not available ATION		
This inorganic pigment in general is o Acute toxicity Carcinogenicity 12. ECOLOGICAL INFORM Toxicity	: not available : not available ATION : no data		
This inorganic pigment in general is on Acute toxicity Carcinogenicity 12. ECOLOGICAL INFORM. Toxicity Persistence and degradability	: not available : not available ATION		
This inorganic pigment in general is of Acute toxicity Carcinogenicity 12. ECOLOGICAL INFORM Toxicity Persistence and degradability water	: not available : not available ATION : no data		
This inorganic pigment in general is of Acute toxicity Carcinogenicity 12. ECOLOGICAL INFORM. Toxicity Persistence and degradability water Bioaccumulative potentiall	: not available : not available ATION : no data : insoluble in water. This product is predicted not to degrade in soil an		
This inorganic pigment in general is c Acute toxicity Carcinogenicity	: not available : not available ATION : no data : insoluble in water. This product is predicted not to degrade in soil an : no data : not applicable		

Waste treatment methods

: dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA	
UN number	Not applicable	Not applica le	Not applicable	Not applicable	
Proper shipping name	Not applicable	Not applica le	Not applicable	Not applicable	
Transport hazard class(es)	Not applicable	Not applica le	Not applicable	Not applicable	
Packing group	Not applicable	Not applica le	Not applicable	Not applicable	
Environmental hazards	None	None	None	None	
Special precautions for user	None	None	None	None	
Transport in bulk according to Annex II of MARPOL7 /78 and The IBC Code	Not applicable	Not applica le	Not applicable	Not applicable	
Haz rd label(s)	Not applicable				
Additional information	Custom tariff No. 3206 1900				



15.REGULATORY INFORMATION

According to Directive 67/548/EEC & Directive 1999/45/EC Safety, health and environmental regulations/legislations specific for the substance or mixture

: not classified as dangerous for supply/use

:not available

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

- ADR : European Agreement concerning international carriage of Dangerous goods by Road
- CAS : Chemical Abstracts Service
- EC : European Community
- ICAO : International Civil Aviation Organization
- IMDG : International Maritime Dangerous Goods
- IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties